

TRADEMARK

Recron® FS – General Guidelines

Below guidelines are applicable to Fabric producers.

1. Recron® FS (Fire Safe) trademark

1.1. Given below are the guidelines for Fire Safe trademark and its usage.

Product Packaging

All feed material supplied will have Product description including Trademark

Product Brochure


Once a customer signs a Trademark Agreement and it is approved by Reliance, he will be entitled to use our Trademark Recron® FS on his product and promotional material brochure/literature/packing material/Invoices for promotional activities and assurances to value chain.

Email Signatures

Subject to eligibility, Reliance may provide the E mail signature which may be used for electronic communication.

2. Eligibility

- 2.1. The fabric has been made from 100% Recron® FS yarns.
- 2.2. All due care has been taken as per the guidelines provided.
- 2.3. The trademark will be issued only on successful passing of flammability tests according to ISO 6941 (20 sec ignition time, self extinguishing, no flaming debris).



Steps to Recron® FS Fabric Testing

1. Identification of the fabric to be tested manufactured using 100% Recron® FS yarns.
2. Contact your Recron® FS representative for the requisition form.
3. Fill all the details accurately.
4. All fabric samples to be submitted/ couriered at the address provided on the test form.
5. Provide the dispatch/ courier details by Email to Recron® FS representative.
6. Results will be communicated with-in two weeks from the date of receipt of sample.

We assure, all information provided shall be kept confidential.



Trademark Testing Requisition Form: Flammability Test

Test Laboratory : BTRA, India

Customer Name		
Address		
Telephone / Mobile No.		
Fabric Details		
Fabric Description		
Fabric Sort number/Id		
Number of Fabrics submitted		
Warp Yarns Used		
Weft Yarns Used		
Weave		
Yarn Dyed/Piece Dyed		
Fabric GSM		
Fabric length-Minimum 2.0 Meter(Full Width)		
Production Date		
Due Care	Followed	Yes / No
Fabric Softener (if used)- Name		
Fabric submitted(washed/Unwashed)		

Sr. No.	Description of test to be conducted	Tests
1	Flame spread properties of vertically oriented specimen	ISO 6941
2	Any other test - please specify	

Note

1. Reliance trust all fabrics samples send for Flammability test are manufactured using Recron® FS yarns only.
2. During downstream processes, adequate care is taken to ensure flame retardant properties are not hampered and due care guidelines have been followed.

Trademark approval is granted subject to the condition

1. Yarns used are expressly identified as Recron® FS both in the confirmation of order and in the invoice from the pre-supplier (yarn manufacturer) if applicable.
2. Fabrics are produced with adequate precautions to maintain Flame Retardant efficacy.
3. Reliance Industries limited to be informed for any changes done in the fabric other than what has been sent for testing and approval, to access if there is any need of re-test.
4. Trademark approval is valid for a period of max. 5 years from the date of issue.

Address for sending fabric sample:

The Bombay Textile Research Association (BTRA)

Attn:Ms. Chandrakala Madichetty

Lal Bahadur Shastri Road, Near R. City Mall, Ghatkopar West, City: Mumbai

Pin Code: 400086. Country: India, Tel: +91 22-2500 2117/ 1119/ 1135/ 3651/ 2652

Email: polyfrlab@btraindia.com | C.C.: vijaygarg@ril.com | sanjay.guptafind@ril.com

local Reliance representative